

court products

puttermanathletics



Our Mission

The Putterman Athletics legacy began and remains rooted in an American Dream— building and sustaining a U.S. manufacturing business. Putterman’s doors opened in 1920 by founder Max Putterman, and have remained open due to a fierce commitment to exceptional service and quality craftsmanship. Setting the stage with high quality products for recreational and competitive play has been the mission for decades. Putterman’s latest catalog looks to recognize and celebrate those players and athletes we ultimately serve.

puttermanathletics



industry associations

Table of Contents

Windscreens

Tenn-Air™ (VCP).....	2
Twinscreen	3
Dura-Air™ (PVC).....	4
Polypropylene	6
Polyethylene	7
Air Vents & Accessories	9
Endura™ Mesh & Murals	10

Fence Accessories

Fence Rail Covers	12
Noise Reduction.....	13

Pickleball Nets and Posts

Portable Systems.....	14
In-ground Posts & Nets.....	16
Court Dividers & Accessories	17

Tennis Nets and Posts

Tennis Nets	18
Tennis Posts	20

Court Accessories

Coolers & Tidy Courts.....	21
Benches and Seating.....	22
Umpire Chairs & Ball Baskets	24
Score Keepers & Court Numbers	25
Hard Court Equipment.....	26
Clay Court Equipment	27

Indoor Court

Backdrop Curtains	28
Divider Netting	29
Netting.....	30
Padding.....	32

Tenn-Air™

Putterman's easy to install, highly durable Tenn-Air™ windscreens are an excellent choice for tennis, pickleball, sports fields, or commercial properties that require a top-quality look.

The durable Vinyl Coated Polyester (VCP) material of our Tenn-Air™ windscreens resist weather elements and standard abrasion from player activity.


Windscreens feature multi-ply reinforced hems with brass grommets every 12 inches. ENDURA™ large format custom printing and custom sizes available.



Tenn-Air™ Pro

TAP-6-CSTM | TAP-9-CSTM

- Best in class, 10oz 100% Vinyl Coated Polyester
- 78% visibility blockage
- 7-ply reinforced corners
- 5 year limited warranty



Tenn-Air™ Closed Premium Plus

TAC-9-CSTM-PP


- Used at the US Open
- 18oz, 100% Vinyl Coated Polyester
- 6' & 9' standard & custom
- 100% visibility blockage
- 1 year limited warranty



Tenn-Air™ Open

TAO-6-CSTM | TAO-9-CSTM

- The preferred choice of the US Open
- 9oz 100% Vinyl Coated Polyester
- 70 - 80% visibility blockage
- 4 year limited warranty



Tenn-Air™ Closed Premium

TAC-9-CSTM-P


- 18oz 100% Vinyl Coated Polyester
- 4' 10", 6' & 9' standard & custom
- 100% visibility blockage
- 1 year limited warranty



Tenn-Air™ Lite

TAL-6-CSTM | TAL-9-CSTM

- A breathable, top quality look at an affordable price
- 8oz 100% Vinyl Coated Polyester
- 70 - 80% visibility blockage
- 3 year limited warranty



Tenn-Air™ Closed

TAC-6-CSTM | TAC-9-CSTM

- 14oz 100% Vinyl Coated Polyester
- 4' 10", 6' & 9' standard & custom
- 100% visibility blockage
- 1 year limited warranty



* Dark Forest Green & Forest Green- 6' & 9' Only

Twinscreen



Twinscreen gives your tennis court a sleek, professional look. The combination of open mesh and solid vinyl will make your custom logo the focal point of your playing background, while also obtaining more privacy and high wind blockage.

Twinscreen Pro has a center section of heavy-duty vinyl with 100% opacity for added privacy and ball perception. The bottom and top section of our VCP open mesh windscreens are made of material.

Both Twinscreen and Twinscreen Pro feature 3-ply reinforced hems with brass grommets every 12 inches.

ENDURA™ large format custom printing and custom sizes available.



Twinscreen

TWS-9-CSTM

- Tenn-Air™ Open + Tenn-Air™ Closed
- 9' standard height
- 75% visibility blockage
- 4 year limited warranty



Twinscreen Pro

TWS-9-CSTM

- Tenn-Air™ Pro + Tenn-Air™ Closed
- 9' standard height
- 78% visibility blockage
- 4 year limited warranty



Dura-Air™

Dura-Air™ windscreens offer more airflow than most other closed mesh screens, but provide a better visual background than open mesh screens. The flexible, yet tough, material yields maximum tensile strength and visual blockage.

This is an outstanding screen for athletic courts and commercial properties!

Windscreen features 3-ply reinforced hems with brass grommets every 12 inches. ENDURA™ large format custom printing and custom sizes available.



Dura-Air™ Open

DAO-6-CSTM | DAO-9-CSTM

- 10oz material
- 6' and 9' standard height
- 80% visibility blockage
- 4 year limited warranty

Black Green Royal Blue US Open Blue



Dura-Air™ Closed

DAC-6-CSTM | DAC-9-CSTM

- 12oz material
- 6' and 9' standard height
- 93% visibility blockage
- 4 year limited warranty

Black Green



Dura-Air™ Leno

DAL-6-CSTM | DAL-9-CSTM

- 10oz material
- 6' and 9' standard height
- 87% visibility blockage
- 4 year limited warranty

Black Green



Facility Spotlight

Neil Schiff Tennis Center, University of Miami

The award winning Neil Schiff Tennis Center, home of the University of Miami men's and women's tennis teams, was built to support college, amateur and professional tennis competitions. The courts have also served as the home for many of the nation's top amateur tennis events including the NSTC International Junior Orange Bowl tournament and the NCAA Division-I Women's Tennis Championships Regional.

The Center houses 16 world-class tennis courts including eight designated varsity courts. These courts are flanked on two sides by premium seating for more than 1,000 spectators, including 144 court-side chair backs for optimum viewing. The varsity courts are designed for open spectator access, with spacious walkways that allow a clear view to every court in use during matches.

Putterman's Role

At the University's request, each of the windscreen panels were meticulously hand-painted by our skilled production team. The vibrant orange and white colors seen on the logos and mascot were precisely matched according to the University of Miami brand standards. Each of the sleek, black Dura-Air™ Closed windscreen provide a nearly solid backdrop for enhanced visibility, quick ball pick-up, and individual isolation of each court from its' neighbor.

Over the past decade, Putterman Athletics has been providing the University of Miami with custom printed windscreen for this facility.



Polypropylene Screens

With a higher tear strength than similar closed mesh polypropylene materials, Lathe Leno is a stylish and economical application for both commercial and athletic facilities. Its unique leno weave, offers you the required shading for privacy, while doing away with the extra cost of sewn vents.

These screens feature 4-ply reinforced hems with brass grommets every 12 inches. Custom sewn-on graphic panels are available.



Lathe Leno

LALE-6-CSTM | LALE-9-CSTM

- 4.85oz polypropylene
- 6' and 9' standard height
- 87% visibility blockage
- 4-ply reinforced hems
- 4 year limited warranty

Black Green



ProGard 95

PROG-6-CSTM, PROG-8-CSTM

- 6oz, 100% closed polypropylene
- 5'-11" standard height (green & black)
- 8' standard height (black only)
- 95% visibility blockage
- 4-ply poly webbing hemlines
- 2 year limited warranty

Black Green



Please Note: If the screens are planned for high wind areas, reinforced sewn vents are suggested.



Installing Your Windscreen in 8 EASY STEPS

When it comes to windscreen installation, here are **8 Easy Steps** and some **Pro-Tips** to follow that will result in a beautiful windscreen and protect the most expensive part of the installation – your fence.

Step 1: Start at one end of the fenced area to be covered. Layout full panel along the area to be covered. Attach top corner grommet to the fence with a tie wrap. Then, attach along the top, pulling cover taut with each grommet attachment for about 10'.

Pro-Tip: Attach tie wrap to the fence in the direction the panel is being pulled (rather than slightly backward). As the tie is tightened, it will pull the cover taut. Make sure the tie is secure, but do not over tighten tie wraps (Tightening the tie wraps too much might result in wrinkling of the windscreen and insufficient room to straighten out panel). After the panel is completely attached, ties can be tightened more, if necessary, to minimize any remaining wrinkles.

Step 2: Go back to end and from top-to-bottom attach vertical edge to the fence all the way to the bottom, again pulling taut as each tie is secured.

Step 3: Continue attachment along the bottom for about 10' pulling the windscreen taut and making it as wrinkle-free as possible.

Pro-Tip: If two or more people are working on the panel, have one person begin attachment at the top and the second person at the bottom, working about 10' behind the first.

Step 4: After the first 10' of the windscreen is attached at the top and bottom, go back to the top and attach along the next 10', pulling taut.

Step 5: Continue top/bottom attachment until the panel is completely in place.

Step 6: Continue installation with remaining panels using the same procedure.

Step 7: On panels with center grommets strips, feed the lacing cord through the grommets and fence mesh. It is important to secure the center grommet strip as well as all grommets on the perimeter.

Step 8: Stand back and enjoy the finished and professional look of your fences.

Additional Tips & Tricks:

Don't install on a windy day. Wind will complicate installation.

Use a few "S" hooks to temporarily hang the panel on the fence. By "lifting" the panel, it lessens the weight and makes it easier to attach and tighten the tie wrap at the grommet.

IMPORTANT! Attach at every grommet. Do not skip grommets. Attachment at all grommets distributes the force when there is a high wind load. Using fewer grommets for attachment results in more load on attached grommets and a greater chance of ties breaking. When windscreens break loose and whip against the fence, it can be damaged beyond repair in a few hours.

REMEMBER - IT IS RECOMMENDED TO HANG WINDSCREEN ON THE FENCE MESH ONLY, NOT ON POSTS OR CROSSBARS!

Polyethylene Screens

Used both in industrial and athletic applications, polyethylene provides a durable alternative for workplace, facility, and home. Perfect for wind protection, security and privacy. The flexible yet tough material yields maximum tensile strength and visual blockage around the job site.

Windscreens feature brass grommets every 12 inches.



Commercial Knit

CUSTOM PANELS: COMKNT-6-CSTM | COMKNT-9-CSTM

FABRICATED PANELS: PROW6PEB2 | PROW6PEG2 | PROW9PEB2 | PROW9PEG2

UNFABRICATED ROLLS: COMBLK6 | COMGRN6 | COMBLK9 | COMGRN9

- 6.9oz polyethylene
- 68% visibility blockage
- 6' & 9' standard height
- 3-ply reinforced hemlines
- 120' wide fabricated panels; custom fabricated panels; unfabricated rolls
- 3 year limited warranty

Black Green



KnitGard

CUSTOM PANELS: KNITG-6-CSTM | KNITG-8-CSTM

FABRICATED PANELS AVAILABLE

UNFABRICATED ROLLS AVAILABLE

- 4.9oz polyethylene
- 85% visibility blockage
- 5'8" & 7'8" standard height
- 4-ply poly webbing hemlines
- 50' wide fabricated panels; custom fabricated panels; 150' unfabricated rolls
- 4 year limited warranty

Black Green Blue Gray White Brown Beige Red



Please Note: If the screens are planned for high wind areas, reinforced sewn vents are suggested.



Product Overview

Windscreen	Shading	Weight	Material	Panel Height	Colors	Logo
Tenn-Air™ Pro	78%	10oz	vinyl coated polyester mesh	6' & 9' (custom size available)	black, forest green, & US Open blue (custom colors available)	yes
Tenn-Air™ Open	70%-80%	9oz	vinyl coated polyester mesh	6' & 9' (custom size available)	black & forest green (custom colors available)	yes
Tenn-Air™ Lite	70%-80%	8oz	vinyl coated polyester mesh	6' & 9' (custom size available)	black, forest green, navy, & royal blue	yes
Tenn-Air™ Closed	100%	10oz - 13oz	vinyl coated polyester	4'10", 6', & 9' (4'10" with no seam)	black, dark forest green, forest green, & royal blue	yes
Tenn-Air™ Closed Premium	100%	18oz	vinyl coated polyester	4'10" & 9' (4'10" with no seam)	black, forest green, navy, royal blue, gray, & tan	yes
Tenn-Air™ Closed Premium Plus	100%	18oz	vinyl coated polyester	4'10" & 9' (4'10" with no seam)	tennis green & US Open blue	yes
Dura-Air™ Leno	87%	10oz	flexible foamed PVC/ polyester yarn	6' & 9' (custom size available)	black & green	yes
Dura-Air™ Open	80%	10oz	flexible foamed PVC/ polyester yarn	6' & 9' (custom size available)	black, green, royal blue, & US Open Blue	yes
Dura-Air™ Closed	93%	12oz	flexible foamed PVC/ polyester yarn	6' & 9' (custom size available)	black & green	yes
Twinscreen	70%-80%	9oz	vinyl coated polyester mesh	9' (custom size available)	black, dark forest green, forest green, royal blue, & US Open blue	yes
	100%	10oz - 13oz	vinyl coated polyester			
Twinscreen Pro	78%	10oz	vinyl coated polyester mesh	9' (custom size available)	black, dark forest green, forest green, royal blue, & US Open blue	yes
	100%	10oz - 13oz	vinyl coated polyester			
Lathe Leno	87%	4.85oz	open polypropylene	6' & 9' (custom size available)	black & green	yes
Commercial Knit	68%	6.9oz	polypropylene	6' & 9' (custom size available)	black & green	yes
ProGard 95	92%	5.2oz	closed polypropylene	6' (finished height 5'11")	green	yes

WINDSCREEN FEATURES:

- Sports Windscreens are available in standard 6' and 9' heights and in custom heights by quotation
- Any screen width is available; however, 60' is the maximum recommended width per panel
- Standard reinforced hemmed edges with heavy-duty 13oz vinyl coated nylon sewn to 1-1/2" wide (Fig. 1)
- All hems include #2 brass grommets spaced every 12" on all four sides (Fig. 1)
- All 9' screens include a center seam with grommets (Fig. 2)



Fig. 1: 3-ply hems



Fig. 2: 9' center seam

Options and Accessories

Air Vent Options:

Air vents reduce the amount of stress windscreens place on the fence, especially during strong winds. They are typically installed at 10' intervals, excluding the logo area.



Cut Vents

CVSTD

- Standard vents are digitally cut
- Recommended for all windscreens
- Added at no charge
- Half Moon (6-1/4" h x 12" w), Tear Drop (5.5" w x 10.5" h)



Hemmed Window Vents

VSWN

- 8" h x 12" w
- 2" reinforced hems on window perimeter
- Best option for high wind areas



Heavy-duty Ty-Raps

TIES120 | TIES120-14

- 120 lbs breaking strength
- Self-locking head
- 8" & 14" long available
- 100 per bag

Light Weight Ty-Raps

TIES50

- 50 lbs breaking strength
- Self-locking head
- 8" long only
- 100 per bag



Lacing Rope

3/16" DIA: ROPE316BLK600 | ROPE316BLK1000

5/16" DIA: ROPE516BLK600

- 3/16" hollow-braided or 5/16" twisted black poly rope
- 600+ lbs breaking strength
- 600' & 1000' reels

Plastic "C" Clips

PROCS01

- 100 per bag



Metal Snaps

SNAPS

- Zinc plated
- 6mm diameter



Lacing Twine (1/8")

1/8" DIA: LACINGTWINE

1/4" DIA: PRO60014

- 1/8" Diamond-braided MFP, black lacing twine
- 250+ lbs breaking strength
- 500' & 600' reels

S - Hooks

SH

- Zinc plated
- 3" long




Endura™ Mesh

Endura™ mesh is a vinyl coated polyester that is perfect for printing graphic-intense artwork at a reasonable price.

The mesh features 3-ply reinforced hems with brass grommets every 12 inches.

ENDURA™ large format custom printing and custom sizes available.



Endura™ Mesh

Endura™ Mesh

- 8oz material
- 6' and 9' standard height
- Up to 10' tall in one piece
- 4 year limited warranty



Photo Finish Fence Murals

Transform Your Plain Fence with Our Designer Fence Murals.

PhotoFinish Fence Murals are an economical solution offering privacy, personality, and the ability to change the look of any fence.

Windscreen features 3-ply reinforced hems with brass grommets every 12 inches.

Our exclusive ENDURA™ digital printing technology delivers vibrant, full-color, realistic designs.



photo finish fence mural



Garden Hedge

Blue Mountains

Wooden Fence

Features & Benefits:

- Durable, all-weather, PVC coated polyester fabric
- Privacy protection
- Easy to install
- Lightweight & durable
- Available in 25' wide Panels
- 75% visibility blockage
- Fully customizable with YOUR logo

Printing Solutions

Your Brand Is Our Business!

Add value to your brand and enhance the look of your facility with Putterman's cutting edge ENDURA™ Large Format Printing.



ENDURA™ Digital Print

- State-of-the-art digital printing process
- Print full-color high-resolution graphics directly on material
- Eliminate chipping, cracking, and fading on today's standard products with our ENDURA™ Shield protective coating



ENDURA™ Paint

- Signature hand-painted double coating process
- Extremely durable and long-lasting.
- High-quality paint designed to form a durable bond
- True and vibrant colors that will withstand outdoor elements



Digital Sewn-On

- ENDURA™-Digital logos (printed on vinyl mesh) are sewn onto any of our windscreens
- Perfect for branding polyethylene and polypropylene windscreens

Fence Rail Covers



FenceGard Premium

FGPREM-80

- Standard measures 3" W x 4.5" H x 0.10" wall thickness
- Professional teardrop shaped profile
- Easy to install with just one person
- Exterior grade UV-resistant polyethylene construction
- Pre-drilled every 24" for attaching to the fence
- Sold in cartons of 84' in 7' long sections
- Fence cap ties included
- 5 year limited warranty



FenceGard Standard

FGSTD-80

- Standard measures 2 3/4" W x 4" H x 0.07" wall thickness
- Professional teardrop shaped profile
- Easy to install with just one person
- Exterior grade UV-resistant polyethylene construction
- Pre-drilled every 24" for attaching to the fence
- Sold in cartons of 84' in 7' long sections
- Fence cap ties included
- 3 year limited warranty



FenceGard Lite

FGLITE-80

- Standard measures 2 5/8" W x 4" H x 0.05" wall thickness
- Professional teardrop shaped profile
- Easy to install with just one person
- Exterior grade UV-resistant polyethylene construction
- Pre-drilled every 24" for attaching to the fence
- Sold in cartons of 84' in 7' long sections
- Fence cap ties included
- 1 year limited warranty



PolyCap

FNCCAP250-V | FNCCAP250-BLKV

FNCCAP100-V | FNCCAP100-BLKV

- Rounded corner profile for added strength
- Pre-slit
- 4 1/2" heavy-duty construction
- Weather, mildew and UV treated
- 100% virgin high density polyethylene
- Recyclable when done using
- 3 year limited warranty



Installer Tool

02294

- Solid steel
- Makes install of your fence cap easy

Noise Reduction Systems

Pickleball's unprecedented growth over the past few years has raised the concerns of noise pollution for homeowners within 500' of a court. The sound levels created have a high-pitch level (1000-1300 Hz) and have been recorded from 70 – 80 decibels (dB). This tends to be 20 -30 dB above the normal and acceptable level for court sports.

We currently offers multiple product variations that deliver between a 13 dB and 32 dB reduction on pass through sound. The Sound Transmission Class (STC) ratings, in conjunction with a systems Noise Reduction Coefficient (NRC), are used to better understand the potential reduction in sound through a barrier and the amount muffled before it reflects back towards the court it is surrounding.

NoiseGard™ Dense Vinyl Blocker

NGDVB-20: STC =13 | NGDVB-38: STC =17

These easy-to-install panels can provide up to 17dB of pass-through sound reduction (STC). The NoiseGard™ DVB systems are thin, light weight, flame resistant, and formulated with an anti-mildew, anti-fungal, and anti-microbial agents. The proprietary dense vinyl material contains an inner reinforcing mesh for dimensional stability in any climate. Various colors.

- Dimensions: 5' x 8'
- Thickness: 0.5 or 0.9 mm
- Weight: 6 or 11 lbs
- STC Rating: 10 to 17 dB



NoiseGard™ Mass Loaded Vinyl

NGMLV-1.0: STC =28 | NGMLV-1.5: STC =32

Unmatched durability, outstanding performance, and a clean look make the NoiseGard™ MLV system a great choice for court owners, parks, and clubs. With decible reduction from 28 to 32 dB, these polyester mesh reinforced curtains can eliminate unwanted noise issues for neighbors while providing the best playing conditions on the court. Available in black and gray. They are fire rated and designed for temps between -20° to 170°F.

- Dimensions: 3' x 8'
- Thickness: 2.8 or 4.1 mm
- Weight: 24 or 36 lbs
- STC Rating: 25 or 30 dB



NoiseGard™ Quilted Panel System

NGMLV-QPS1: 1MM MLV MID-LAYER INSIDE | NGMLV-QPS3: 3MM MLV MID-LAYER INSIDE

Unwanted soundwaves enter our 4-layer NoiseGard™ QPS composite system through the weather resistant, quilted fiberglass covering and are absorbed into a layer of sound-absorbing filament batting. Behind that, we add a sound blocking Mass Loaded Vinyl (MLV) and back each panel of the QPS system with a durable vinyl cover. Available in black, gray and green.

- Dimensions: 3' x 8'
- Thickness: 25 or 27 mm
- Weight: 24 or 36 lbs
- STC Rating: 23 or 28 dB



Pickleball Systems



Pickleball is one of the fastest growing sports in the United States. And, it's no coincidence that it is also one of Putterman Athletics' fastest growing product lines! No matter what your budget or need may be, Putterman has a pickleball solution for you. From professional systems for your facility to portable options for smaller venues and homes, we have you covered. Nets and posts? We have those as well!



PRO-Pickle Portable Net System PROPBS-2

This portable, heavy-duty Professional Level net and post system includes:

- Regulation net: 22' W x 34" H at center (36" at sideline)
- Powder-coated steel frame with 2 7/8 round posts
- Net included
- Can be installed with permanent casters or surface mounted

Replacement Net - PRO1223PBS





Flipdown Portable Net System

PROFDS-1

This system is great for semi-permanent installations:

- Regulation net: 22' W x 34" H at center (36" at sideline)
- Powder-coated steel frame with 3" square posts
- Net included
- 360° flipdown casters

Replacement Net - PR01223FDS



Pro Pickleball Alloy

PROPBS-A1

- All aluminum construction
- Stainless steel fasteners
- Easily adjustable net tensioning system
- Medium weight net and center strap included

Replacement Net - PR01223-A1



Deluxe Portable PickleNet System

P-TAPND

Unit Includes:

- 4" wheels for easy maneuverability
- Powder-coated steel frame with fiberglass center support
- Nylon storage bag



Standard Portable PickleNet System

P-TAPNO

Unit Includes:

- Powder-coated steel frame with fiberglass center support
- Nylon storage bag

Pickleball Posts

Our posts offer great value, longevity and a top-shelf finish. We offer the largest selection of posts on the market today.



Internal Wind Posts

2-7/8" D: PROPB4B | PROPB4G
3" D: PROPB3B | PROPB3G

- Overall length 54" (36" playing height)
- 12 gauge powder-coated galvanized steel and aluminum wheel caps
- Internal brass wind mechanism and pulley
- Integrated welded steel lacing rods

Black Green



External Wind Posts

2-7/8" D: PROPB2B | PROPB2G

- Overall length 54" high (36" playing height)
- 12 gauge powder-coated galvanized steel and aluminum wheel caps
- Internal brass wind mechanism
- Integrated welded steel lacing rods

Black Green



Surface Mount Posts

PROPBSM-B81 | PROPBSM-G81

- 2-7/8" diameter, 36" playing height
- 12-gauge powder-coated galvanized steel posts
- Complete internal winder and lacing rods
- Set includes a crank and two post caps
- 8" x 8" pre-drilled base plate

Black Green



Pickleball Nets

SHORTER HEIGHT: PR01223
FULL HEIGHT: PR01223-TC

- Overall size: 21' 7" W
- 3.0mm braided polyethylene rope
- 1-3/4" square mesh
- 2-1/2" double-layer white vinyl headband
- Includes net cable, net strap and fiberglass rods
- 3 year limited warranty

Court Dividers



Pickle Wall Divider

PROPW-B | PROPW-G

- Converts existing tennis posts into a pickleball barrier
- Uses Dura™ Air Open, 41'-7" W x 35" H
- Hemmed and grommeted
- Custom logoing and colors* available



Portable Divider Panels

PROPCDP-2 | PROPCDP-6

- 32 1/2" H x 59" W
- Available in 2 or 6 count packs
- Easy assembly, collapsible for storage
- Perfect for pickleball fencing indoor or outside

tennis & pickleball post parts and accessories



Putterman Covered Crank

PROCC3B | PROCC3G

- Aluminum external wind mechanism with removable handle
- Hardware included



Aluminum Crank Handle

PROACHB | PROACHG

- Replacement handle for Putterman Covered Crank



Post End Caps with Wheel

PROPW-B | PROPW-G

- Powder-coated aluminum cap fits 2-7/8" post head



Tennis Winch

PROHCIB | PROHCIG

- Heavy-duty steel with removable handle
- 900 lb capacity



Internal Post Brass Winder

P-BRASWND3R | P-BRASWND3S

- Both round and square winding units available
- Available for 2-7/8" and 3" posts, includes handle and hardware



Brass Handle

P-BRASHNDL

- Includes mounting screw

3" Square Post Sleeves

PROGS8006

- Square steel, Silver



2-7/8" Round Post Sleeves

PROGS01

- 3" inside diameter, round White PVC



3" Round Post Sleeves

PROGS02

- 3-1/8" inside diameter, round Black PVC

Tennis Nets

We offer a wide selection of quality tennis nets. Whether you are looking for a professional or economical tennis net, we have all options available. Our tennis nets will provide you with longevity and durability, while also giving your court a stylish aesthetic.

All Putterman tennis nets are manufactured to our strict specifications and meet USTA requirements for official size. Center strap included with net.

Private labeling opportunities available.

HEADBAND		NETTING			
Item #	Material	Size	Top Braiding	Tapered	Warranty
Signature Nets					
PRO1351	51oz white vinyl	3.5mm	single	no	3-year limited
PRO1352 PRO1352T	51oz white vinyl	3.5mm	double double	no yes	5-year limited
PRO2352T	36oz poly canvas	3.5mm	double	yes	5-year limited
Tournament Nets					
PRO1301 PRO1301T	51oz white vinyl	3.0mm	single single	no yes	3-year limited
PRO1302 PRO1302T	51oz white vinyl	3.0mm	double double	no yes	5-year limited
Recreational Nets					
REC1301-R	26oz white vinyl	3.0mm	single	no	1-year limited
REC1302-R	26oz white vinyl	3.0mm	double	no	2-year limited

Tennis Net Features:

- **Netting:** 1.75" square knotted mesh braided polyethylene
- **Headband:** 2.5" W, double layer, folded & tucked, treated with UV & mildew inhibitors; 6 rows of bonded thread interlocking stitching with built-in grommets (*double braiding has 7 rows of bonded thread interlocking stitching)
- **Sideband:** 2.5" black vinyl with built-in grommets, sewn pocket, 2 hollow fiberglass rods
- **Bottom Band:** 2.5" black vinyl with built-in grommets
- **Cable:** 46' long, 5mm steel coated cable; 3600lbs tensile strength (pickleball cable is 26' long)
- **Net Strap:** Heavy-duty polyester webbing, nickel-plated slide buckles, double end hook, reinforced ends. Every Putterman net comes with a free center strap.




What are TAPERED TENNIS NETS

Have you ever noticed that the vinyl tape at the bottom of your tennis net seems to wear out before the rest of the net does? This is due to the friction that occurs from the constant rubbing of the net against the court surface on most non-tapered standard tennis nets.

Let us explain a little more. The height of a tennis net at the posts is 42" but narrows down to 36" at the center. At Putterman Athletics, we can taper the body of the tennis net so that as the height of the net decreases from the net post to the center, so does the material. This **tapering of the tennis net reduces the amount of rubbing that occurs** at the bottom of the net against the court, therefore **prolonging the life of the tennis net and your investment.**

Signature Tennis Nets:



Single Braid PR01351



Double Top PR01352
Double Top & Tapered PR01352T



Poly Canvas Double Top & Tapered PR02352T

Tournament Tennis Nets:




Single Braid PR01301
Single Braid & Tapered PR01301T



Double Top PR01302
Double Top & Tapered PR01302T

Recreational Tennis Nets:



Single Braid PR01301-R



Double Top PR01302-R

Net Anchor

PRNA01

- 1.5' long x 2" diameter
- 10 gauge galvanized steel anchor with stainless steel pin



Replacement Tennis Net Cable

PROREPCBL47

- 47' galvanized steel cable
- 3/16" vinyl coated, looped ends



Net Strap with Double-end Hook

PRNS01

- Non-slip poly web strip with adjustable buckle and double-end hook



Velcro Strap with Double-end Hook

PRNSV

- Non-slip poly web strip with adjustable velcro and double-end hook



Tennis Posts

Our state-of-the-art net posts feature either internal-wind or external-wind mechanisms to provide a well-coordinated, clean look. Net posts can be installed permanently or in sleeves to allow for other uses on the tennis court. All post sets feature integrated welded steel lacing rods, aluminum caps and powder-coated finish.



Round External Wind Posts

PROP1B | PROP1G

- 2-7/8" Round; 60" high (42" playing height)
- 12 gauge powder-coated galvanized steel with aluminum caps, pulleys, and winding mechanism

Black Green



Round Internal Wind Posts

3" ROUND: PROP3BU | PROP3GU

2-7/8" ROUND: PROP5BU | PROP5GU

- 3' or 2-7/8" Round; 60" high (42" playing height)
- 12 gauge powder-coated galvanized steel with aluminum caps
- Brass internal winding mechanism and pulleys

Black Green



Square Internal Wind Posts

PROP4BU | PROP4GU

- 3' Square; 60" high (42" playing height)
- 12 gauge powder-coated galvanized steel with aluminum caps
- Brass internal winding mechanism and pulleys

Black Green



Surface Mount Posts

PROTESM-B81 | PROTESM-G81

- 2-7/8" diameter, 42" playing height
- 12 gauge powder-coated galvanized steel posts with brass winder and pulleys
- Welded lacing rods
- 8" square heavy-duty base plate
- Available in black and green



Coolers

Cooler Stand Complete

5 GALLON STAND COMPLETE: CSC-5

Includes:

- Aluminum Cooler Stand
- Igloo Cooler
- Cup Dispenser
- Tidy Court Basket



Cup Dispenser

CUPDSP

- Stores 4oz - 4.5oz cups
- Made to easily fit onto the side of all Igloo Coolers



Igloo® Coolers

5 GALLON: 5GAL-IGC-GRN | 5GAL-IGC-YLW

- 400 Series Industrial Strength with Ultratherm® insulation
- UV Protection
- FDA Approved
- Available in Green or Yellow

Aluminum Cooler Stand

5 GALLON STAND: PROCS5

- All aluminum construction
- Tool-less assembly
- New super stable design

Black Green



Baskets/Trays

Tidy Court Complete

TIDY UNIT COMPLETE - BLK

TIDY UNIT COMPLETE - GRN

- Keep everything in place with this essential accessory for any tennis court

Includes:

- Tidy Court Tray
- Tidy Court Basket
- Available in Black and Green

Black Green



Tidy Court Basket

TIDIBASK-BLK | TIDIBASK-GRN

- Rubbermaid® Trash Basket
- 10 Gallon capacity



Tidy Court Tray

TIDITRAY-BLK | TIDITRAY-GRN

- High quality UV stabilized poly
- Fits 3-1/2" diameter posts

Benches/Seating

Our full line of court seating is an attractive way to improve the look and functionality of your court. This court furnishing collection includes player benches, umpire chairs, court cabanas, and shady court units.

If the goal is to visually streamline and modernize the seating in your facility, we have what you need.




Court Rest Bench


5' BENCH: PRO5100W (WHITE) | PRO5100G (GREEN)

- 5'L x 24"W
- All aluminum, rust-resistant construction
- Anodized finish
- Easy assembly
- Floor protection on feet
- Custom colors available (minimum quantity required)
- 3 year limited warranty

White



Green




Midcourt Bench

6-1/2' BENCH: PRO412212 (WHITE) | PRO412213 (GREEN)

- 6-1/2'L x 28"W
- High density polypropylene and PVC
- UV and mildew resistant
- Center leg support
- Bolt to any hard surface for permanent installation
- 3 year limited warranty

White



Green



Courtside Bench

4' BENCH: PRO412233 (WHITE) | PRO412234 (GREEN)
5' BENCH: PRO41200 (WHITE) | PRO41199 (GREEN) | PRO411991 (BLUE)

- 4'L x 21-1/2"W / 5'L x 21-1/2"W
- Straight backrest
- High density polypropylene and PVC
- UV and mildew resistant
- Bolt to any hard surface for permanent installation
- 2 year limited warranty


White



Blue



Green



Deluxe Courtside Bench

5' BENCH: PRO41203 (WHITE) | PRO41207 (GREEN) | PRO412071 (BLUE)
6-1/2' BENCH: PRO41204 (WHITE) | PRO41212 (GREEN)

- 5'L x 28"W / 6'L x 28"W
- Contoured seating and backrest
- High density polypropylene and PVC
- UV and mildew resistant
- Bolt to any hard surface for permanent installation
- 2 year limited warranty

White



Blue



Green





Custom Court Cabana

CABANA-CSTM

- Heavy gauge steel welded and bolted with stainless fasteners
- Sunbrella® canvas awning size: 6', 8', or 10' long by 6' wide
- Bench Length: 4' & up (flat or with backrest)
- Bench Material: composite wood or aluminum
- Surface mount or direct burial
- 3 year limited warranty
- ENDURA™ large format printing available



Shady Court Complete

SCCANOPY | SCFRAME

REPLACEMENT TOP: SCCANOPY

- 10'L x 4'W heavy gauge powder-coated black or green steel frame
- 4'x10' Sunbrella® canvas awning in 6 colors
- Easy to install on standard 10' chain link fence
- 1 year limited warranty
- ENDURA™ large format printing available

putterman 101 Step-By-Step Guide to **CABANA CUSTOMIZATION OPTIONS**

STEP 1 Pick Your Size

- △ 6' x 6'
- △ 6' x 8'
- △ 6' x 10'

STEP 2 Pick Your Top


- △ Sunbrella® Canvas
- △ 18oz Vinyl

STEP 3 Pick Your Color

Sunbrella® Canvas:



18oz Vinyl



STEP 4 Pick Your Bench

- Composite Wood: △ 4'L △ 6'L
- Aluminum: △ 5'L
- Back support: △ Yes △ No

STEP 5 Pick Your Mount

- △ Surface Mounted
- △ Direct Bury

Umpire Chairs

Royal Deluxe Umpire Chair

RED: PRO40809

GREEN: PRO408099

- 85"x30" (Meets USTA Height Specifications)
- Powder-coated, high quality aluminum frame
- Slip-proof ladder with middle plate for additional support and durability
- UV Resistant, body-contoured bucket seat
- Collapsible for storage
- 2 year limited warranty



Classic Umpire Chair

PRO4900-CV: CHAIR ONLY

PRO4900-UV: OPTIONAL UMBRELLA

PRO4900-LV: OPTIONAL LOGOING

- The Classic Umpire Chair is made of all custom fabricated, powder coated steel (green, black, or custom painted with your logo) that will last a lifetime. This chair offers a comfortable cushioned seat with removable cushions for storage out of the weather when not in use. Includes two wooden storage shelves and writing desk. Custom colors available



Putterman Umpire Chair

PROPUC-B | PROPUC-G

- New, heavy-duty umpire chair offers style and durability at a value price. The powder-coated metal chair features a large sitting area, removable cushion, detachable writing desk, waist high storage shelf, padded feet and easy rolling transport wheels.
- Cooler not included



350 Ball Teaching Cart

PROCART350

- Holds 350 balls
- Welded wire construction
- Powder coated finish
- Hinged, locking lid
- Utility shelf and padded handle




80 Ball Basket

PROBASKET80

- Holds 80 balls
- Welded wire construction
- Powder coated finish
- Detachable Handle




Score Keepers



Slide Tennis Scoreboard

PROSBPS07
P-REPSLIDES

- 29"x8" with 2" indicators
- Durable, UV resistant polyethylene
- Fully enclosed, post-mounted
- Includes mounting rod and post clamps
- 0-9 scoring range



Slide Pickleball Scoreboard

PROPBSP07
P-REPSLIDES

- 29 3/4"x8" with 2" indicators
- Durable, UV resistant polyethylene
- Fully enclosed, post-mounted
- Includes mounting rod and post clamps
- 0-10 scoring range



Fence Mounted Scoreboard

HORIZONTAL: PROSBFH08
VERTICAL: PROSBFV08

- 37"x10", Highly durable, solid PVC
- Keep score using tennis balls
- Horizontal (0-8) or Vertical (0-9) scoring range



Scoreboard Tube

WHITE W/ BLACK NUMBERS: ROST002
BLACK W/ WHITE NUMBERS: PROST003
BLUE W/ WHITE NUMBERS: PROST001

- 42"x3-1/2" weather sealed PVC tube
- Mount with stainless steel clamp (post) or net & hook (fence)

Court Numbers/Signs



Mesh Court Numbers

WS-CRTNMBR

- Available in 12" x 12" or 15" x 15"
- White imprint on Black or Green Tenn-Air windscreen material
- ENDURA-Print 8" high numbers
- Individual numbers 1 to 12, additional numbers available
- Hemmed edges with grommets in each corner



PVC Court Numbers

PROCN (01-12)


- 8"x10"
- Durable, weather-resistant PVC board
- ENDURA-Print 8" high numbers
- Individual numbers 1 to 12, additional numbers available
- Black or Green background with white imprint or white background with black or green imprint



Court Stencils

- Turn your custom art or lettering into an on-court graphic
- Cut out and tracing pattern options available
- One piece and multi-piece versions offered

Hard Courts



Miracle Dri Premium

PROMD05
REFILL: PROMDBLK

- 36"(L)x4"(D) Black Nitrile Rubber Roller with end caps
- Nitrile rubber is soft from the start and very effective at pushing water off your court
- Significantly more durable than most polyvinyl alcohol rollers and not subject to color fade
- Refill rollers available



Miracle Dri Standard

PROMD03
REFILL: PROMDBLU

- 36" L x 4" D blue polyvinyl alcohol roller with end caps
- Utilizes the unique absorption properties of polyvinyl alcohol (PVA) to create a seal with the court
- Water can be pushed off court surfaces quickly and with no streaking.
- Refill rollers available



Miracle Dri Fence Cover

PRORC02

- Extends the life of the roller
- Powder-coated fence mounted protector
- Available Colors: Black



Putterman Rain Shuttle

PRORS01 | PRORSRB

- The 100% aluminum 5' Rain Shuttle is the top of the line court squeegee. Designed to be a superior court drier with more durability. Fast-action casters for easy maneuverability. Comes complete with one 1/2" rubber blade. Replacement blades are available.

Dolphin Water Removal Unit

SSDRS

Salvage matches, clinics, or any important event following a rain. The Dolphin absorbs up to 14 gallons of water at a time rather than moving it ahead, causing as little disturbance to the soft court surface as possible.

- 2'W x 24"D Drum
- 14 Gallon capacity
- 170 lbs full (60lbs empty)
- Perfect for low-lying areas or heavy rain locations



Replacement Foam Cover

SSDFOAM



Silver/White



Rainbuster Court Cover

AFC63V

- 60' x 60'; 6oz polyolefin
- Perimeter webbing, grommets, and hand loops
- Grommets and hand loops in corners
- Reversible dual side color
- Custom sizes available
- ENDURA™ large format printing available

Clay Courts



Lute/Scarifier

PROLUT30 | PROLUT48

- Aluminum handle and blade
- Blade features serrated and flat sides
- 30" and 48" widths available



Drag Brush

MSTDB

- Aluminum handle and bristle housing
- Each unit contains hand and drag handles
- Two rows of 4"L poly bristles



Steel Drag Broom

MSTDBSS

- Aluminum handle and bristle housing
- Each unit contains hand and drag handles
- 5" spring steel bristles for extra court agitation



Master Line Sweep

MSTRLNSWP

- Aluminum handle and cast aluminum frame
- Rubber wheels with positive locking brush action
- Coarse or fine bristles available



Combination Leveling Mat

MSTCLMAT

- Lightweight grooming mat
- Features 2 rows of poly tiles for leveling divots
- Mesh mat trails the tile to smooth the surface



Clay-Away Shoe Cleaner

PROCASC

- Industrial polymer water basin and shoe scrubber insert
- Removes clay from shoe soles
- Built for year-around use



Quick Scrub Tennis Shoe Cleaner

PR041271

- Bottom and side brushes for extra cleaning
- Indoor and outdoor use



Curtains

Our custom fabricated backdrops offer fabric options from 13 oz to 21 oz. All our curtains are fire retardant and feature industry leading craftsmanship. The fit and finish creates unmatched ball containment and gives players a sense of place when enjoying their game.

Putterman is the only manufacturer that offers free design and engineering services under one roof. We can even arrange for installation.

ENDURA™ large format custom printing and custom sizes available.



All three Tenna™ options feature welded vertical seams for durability and reinforced web hemlines with brass grommets every 12". We even install the hanging snaps in each of the upper grommets. Hinged doorways, standard or split wings, integrated mesh or netting windows, court numbers, and signage is available.

Tenna™ Premium

TENNA-PREMIUM | TNAPREMDRV | TNAPREMDRNV

- Premium 18oz Solid Vinyl Coated Polyester

Tennis Green US Open Blue



Tenna™ Standard Plus

TENNA-STD PLUS | TNADRVP | TNADRNV

- 21oz Solid Vinyl Coated Polyester

Forest Green Royal Blue Gray



Tenni™ Backdrop Curtains

TENNI-CSTM | TNIDRV | TNIDRNV

- Light weight with high tensile strength
- 13oz Vinyl Laminated Polyester
- 1 year limited warranty

Black Forest Green Blue Gray Red Tan



Tenna™ Standard

TENNA-STD | TNADRV | TNADRNV

- 18oz Solid Vinyl Coated Polyester

Black Green Gray Navy Orange Red




Royal Blue Tan White Yellow



Hi-Line Curtains

HILINE-CSTM

- Perfect for wall coverage above the sight-line
- 13.5oz Vinyl Coated Polyester Mesh
- Light weight with high tensile strength
- 1 year limited warranty



Black Forest Green Blue Gray Red White



Divider Netting

Court Divider Nets are a must-have for uninterrupted play and safety from stray balls from opposing courts. Divider nets speed up play, save time, and help make tennis matches more enjoyable! They also add an air of professionalism to your tennis court and give the impression that you appreciate your players and take the game seriously.



Putterman Divider Net

DVNET-CSTM | NET-BTM


- 1-7/8" #18 knotted nylon netting
- Vinyl borders with brass grommets every 12 inches
- Optional bottom skirt in mesh, vinyl or #18 net*
- 3 year limited warranty




Bottom Skirt Options:



Vinyl Skirt: NET-BTM-V



NET Skirt: NET-BTM-N



MESH Skirt: NET-BTM-M



Midtown Curtain Divider Net

MIDTWN-CRTN

- 1-3/4" #36 knotted nylon netting
- Vinyl mesh non-detachable bottom & vinyl end wings
- 4-ply upper hem with brass grommets every 18 inches
- 3 year limited warranty



All-Set Divider Net

CBN1062BL | CBN1062GN

- 10'T x 62'L
- 1-3/4" #18 knotted nylon netting with lead rope
- 2", 18oz vinyl hem on all sides
- Brass grommets every 18 inches on top and sides
- 3 year limited warranty




divider netting & backdrop curtain Installation Accessories

Track System

TN-TCK

- Track
- Rollers
- 1/4" Chain Drops



Barrier/Divider Net Installation Kit

DIVNETKIT | TN-CAB

Ideal for the installation of a pair of standard 60' Divider Net panels.

Kit Includes:

- 130' of 3/16" cable
- 2 turnbuckles
- 8 cable clamps
- 90 black c-clips



Individual Accessories:

A. EYE TO EYE TURNBUCKLE (XXX)
Specs Needed.



B. JAW TO JAW TURNBUCKLE (XXX)
Specs Needed.



C. 1/4" CABLE CLAMP (XXX)
Specs Needed.



D. EYE BOLTS (XXX)
Specs Needed.




E. 1/4" GALVANIZED CABLE (XXX)
Specs Needed.



F. 1/4" CHAIN (GDCCH)
Specs Needed.



G. PLASTIC C-SNAPS (PROCS01)
Black Plastic, 100 Pack




H. S HOOKS (SH)
Zinc plated steel.



I. METAL SNAPS (SNAPS)
6mm, zinc plated.




Custom Netting



		No. 18	No. 18 Poly	No.18 1in	No.18 1in Poly	No. 21	No. 24	No. 30	No. 30 1 1/2in
Material	Nylon	•		•		•	•	•	•
	Poly Fiber		•		•				
Mesh	1in			•	•				
	1 1/2in								•
	1 3/4	•	•			•	•	•	
	4in								
Weather Treated	Yes	•		•		•	•	•	•
	No		•		•				
Heat Resistant	Yes	•	•	•	•	•	•	•	•
	No								
Break Strength	1025lbs		•						
	135lbs				•				
	194lbs	•		•					
	245lbs					•			
	265lbs						•		
	305lbs							•	•
Colors	Forest Green	•	•	•					
	Black	•	•	•	•	•	•	•	•
	White			•		•			
Sport	Baseball	•				•	•	•	
	Softball	•				•	•	•	
	Tennis	•				•	•	•	
	Indoor Tennis		•						
	Golf			•					
	Indoor Golf				•				
	Hockey								•
	Lacrosse								•

Border Options

- Rope Border: black polypropylene rope woven through the mesh
- 1/4" for Golf
- 5/16" for Baseball, Softball, or Tennis
- 3/8" also available
- Tape and Grommet Border: vinyl 1 1/2" face tape
- Lead Line: 65lb / 600ft bottom weight



		No. 36	No. 36 4in	No.42	No.48	No. 60	No. 72	No. 96
Material	Nylon	•	•	•	•	•	•	•
	Poly Fiber							
Mesh	1in							
	1 1/2in							
	1 3/4	•		•	•	•	•	•
	4in		•					
Weather Treated	Yes	•	•	•	•	•	•	•
	No							
Heat Resistant	Yes	•	•	•	•	•	•	•
	No							
Break Strength	1025lbs	•	•					
	135lbs			•				
	194lbs				•			
	245lbs					•		
	265lbs						•	
	305lbs							•
Colors	Forest Green	•						
	Black	•	•	•	•	•	•	•
	White	•						
Sport	Baseball	•		•	•	•	•	•
	Softball	•		•	•	•	•	•
	Tennis	•		•	•	•	•	•
	Soccer		•					
	Basketball		•					
	Volleyball		•					
	Football		•					

Netting Accessories

- Snaps [SNAPS]: zinc plated
- Black Polypropylene Rope [ROPE316BLK]: 3/16" diameter monofilament braid
- Cable [GALVCAB25]: available in multiple sizes and breaking strengths
- Cable Clamps [CABLE-CLMP]: available in multiple sizes and torques
- Turnbuckles [TRN-BUCK]: available in multiple sizes and load limits
- Eye Bolts [EYEBOLT]: available in multiple sizes and load limits

Custom Padding

Putterman's Custom Padding for tennis courts protects players from fence rails, sharp corners, beams, unseen dangers behind backdrop curtains, and other hazards on your indoor or outdoor court. Depending on your application, our Sales and Engineering Team will develop the right pads for your facility.



Padding 18

PADS18-CSTM


- 18oz 100% vinyl coated polyester
- Logos and graphics available
- Available in Red, Yellow, Orange, Bright Pink, Lime Green, Green, Burgundy, Marine Blue, Royal Blue, Navy, Tan, Brown, Purple, White, Grey, and Black



Padding 14

PADS14-CSTM

- 14oz laminated polyester
- Logos and graphics available
- Available in Royal Blue, Red, Gold, Forest Green, Purple, Burgundy, Navy Blue, Grey, White, Black, Kelly Green, Orange, Sky Blue, and Camel



Padding Accessories

- Patch Kit [PK]: vinyl cement with 1 yard of chosen vinyl
- Padding Adhesive [ADHPAD]: clear thermo-plasticelastomer cement



Rail Pads

PADS-CSTM

- 14oz laminated polyester
- Great for pickleball fences
- Custom made to fit needs

Terms of Sale

order information

Customers may order by phone, email, or fax. All prices are FOB Deland, Florida or manufacturer unless otherwise indicated. Quoted prices apply at the time of shipment. We reserve the right to change product material with materials of equal or superior quality. Prices are subject to change without notice.

payment options

We accept Visa, MasterCard, American Express, money order, and certified check, Discover and ACH payments. International orders require pre-payment unless otherwise approved by Putterman Athletics management. Please note that a 3% processing fee on deposit payments will be assessed for any charges over \$5,000 as well as payments in any amount made via credit card for accounts that are set up with net terms. If you would prefer to pay via ACH instead, we can provide our banking information upon request. CODs are not accepted. In the case of all standard orders, accounts with approved credit will be billed Net 30 days from the date of invoice. To establish credit with Putterman, a credit form with bank information and three trade references must be provided. Credit terms normally take about 72 hours to process. A 1.5% finance charge may be assessed for balances past 30 days from date of invoice.

freight and shipping

Putterman ships most orders via UPS ground except when expedited shipping is requested or required. All shipping is paid by the customer. Because Putterman specializes in large installations, some orders with larger sizes and weights may be sent via motor freight. Freight shipments will be prepaid and added to your invoice. All prices are FOB Deland Florida or FOB shipping dock if shipping from a remote location. International shipments can be quoted.

freight damage and discrepancies

If damage occurs during shipment, it is the customer's responsibility to notify Putterman, and send pictures of the issue, within 3 days of delivery. Putterman must report claims within 3 days so proper damage claims can be made against the carrier. Failure to report any problems with 3 days of delivery will forfeit any claims for damage with Putterman. Discrepancies must be reported to Putterman Athletics within 30 days of invoice date. Putterman will not be responsible for any discrepancies thereafter.

product returns

To return any standard products, advance authorization from Putterman Athletics must be obtained through phone, email or fax. Otherwise, returned merchandise will not be accepted. Customer is responsible for a 15% restocking fee and return shipping costs. Putterman Athletics will not accept returns for products more than 3 months past their invoice date. Putterman Athletics will not accept returns for custom products unless a material or fabrication defect is determined to have occurred.

thank you for choosing **putterman**athletics

puttermanathletics

excellence in craftsmanship and performance since 1920

www.puttermanathletics.com

880 N. Spring Garden Ave., Deland, FL, 32720

Phone: 386.738.3441 Fax: 386.738.2295 Toll-Free: 800.621.0146